

Trade Repository

Enhancement for SWIFT WebAccess

Connectivity Test Procedure for Simulation Test Environments

(Confidential)

Date : September 2019

Version : Sep



Confidential

DOCUMENT HISTORY

Date	Updated By	Version	Amendment Summary
September 2019	HKICL	1.0	Initial Publication

Version 1.0

This page is intentionally left blank

Version 1.0

TABLE OF CONTENTS

1	INTRODUCTION	1
2	PRE-REQUISITE	2
3	TEST PROCEDURE	3
APPE	NDIX A. SWIFT'S REFERENCE MATERIALS FOR PARTICIPANT SETUP.	4

Version 1.0

Confidential

This page is intentionally left blank.

Version 1.0 iv

1 Introduction

In order to cope with SWIFT's initiative to migrate the Browse service, which currently provides graphical user interface (GUI) platform for users to access Trade Repository (TR) system's interactive functions through web browsing, to the new WebAccess service, TR system will be enhanced. The whole migration is conducted in 3 phases as follows.

Phase	Migration Process	Responsible Party	
1	New WebAccess service provisioning and	SWIFT	
	migration		
2	Participants' setup	Participants	
3	TR application migration	HKICL	

For schedule and details of each migration, refer to circulars relevant to SWIFT WebAccess published by HKICL and the HKMA.

After phase 1 and 2 migrations have been performed, verification of configuration done in phase 2 by logon or accessing functions of TR application via the new WebAccess channel is not feasible since the final phase 3 migration has not yet been done. During this transition period, a simple web page for simple connectivity test is provided to allow preliminary verification on setup done by participants during phase 2. This test can be conducted by each SWIFT user profile configured for WebAccess service.

In order for the participants to familiar with the connectivity test, connectivity test is also arranged for simulation test environments. This document is the procedure for conducting the connectivity test under simulation test environments.

2 Pre-requisite

Before connectivity test is performed, ensure the following preparations have been performed:

- 1) Migration process of participant setup has been completed. (Refer to the reference materials provided by SWIFT in <u>Appendix A</u> and the latest Hong Kong Trade Repository Administration and Interface Development Guide (AIDG) for details)
- 2) Perform in-house configuration to ensure the following URL corresponding to the connectivity test web page being accessible.

SWIFT WebAccess Service Name	Connectivity Test URL	IP Address	Testing Environment
hkicl.tr.gui!p4	https://hkicl-tr-pilot- memtest.browse.swiftnet.sipn.swift. com/tr/mem/connectivitytest	149.134.1.176	Member test
hkicl.tr.gui!p5	https://hkicl-tr-pilot- simtest.browse.swiftnet.sipn.swift.c om/tr/sim/connectivitytest	149.134.1.177	Simulation test

3 Test Procedure

Perform the following steps to conduct the connectivity test for each of users configured for WebAccess:

- 1. Log in SWIFT WebAccess via SWIFT Alliance Web Platform (AWP) or personal token.
- 2. Access the connectivity test web page with above URL.
- 3. Check whether the connectivity test web page is returned as follows:



4. If test is not successful, refer to the reference materials provided by SWIFT in Appendix A or contact SWIFT's support hotline for troubleshooting.

Appendix A. SWIFT's Reference Materials for Participant Setup

- SWIFT Knowledge Base Tip 5021541 "Evolving the Browse offering to SWIFT WebAccess - FAQ"
 - (https://www2.swift.com/support/knowledgebase/tip/5021541)
- 2. SWIFT Knowledge Base Tip 5019758 "Internet Explorer settings to be configured" (https://www2.swift.com/support/knowledgebase/tip/5019758)
- 3. SWIFT WebAccess GUI Package 7.2.72 Release Letter (https://www2.swift.com/knowledgecentre/publications/s_wa_s_wa_gui_pck_7_2_72_rl/1.0?topic=title.htm)
- 4. SWIFT WebAccess Configuration and Troubleshooting Guide (https://www2.swift.com/knowledgecentre/rest/v1/publications/s_wa_conf_tg/4.0/s _wa_conf_tg.pdf?logDownload=true)